Journal of Materials Processing Technology, 37 (1993) 819–824
Elsevier

Contents Parts A and B

Vol. 37, Nos. 1–4, February 1993

Special Issue: 1st Asia-Pacific Conference on Materials Processing, Singapore, February 23–25, 1993 (Part A)

Preface vii

1. Sheet and bulk forming

Metal forming: Industrial, mechanical computational and microstructural
H.J. McQueen (Montreal, Canada) 3

Prediction of sheet-metal formability using tensile-test results
W.M. Sing and K.P. Rao (Kowloon, Hong Kong) 37

Shifting roll profile and control characteristics
Z. Jiang, G. Wang, Q. Zhang (Shenyang, China), D. Ma, C. Tang and G. Wu (Benxi, China) 53

An automatic process-planning strategy applied to a flexible two-dimensional cutting facility
S.K. Ghosh (Stafford, United Kingdom), J.C. Beitialarrangoitia (Arrasate, Spain) and S.S. Douglas (Liverpool, United Kingdom) 61

Joining of copper tube to polyurethane tube by electromagnetic pulse forming
W.S. Hwang (Chungnam, South Korea), J.S. Lee, N.H. Kim and H.S. Sohn (Daejeon, South Korea) 83

The "internal-variables" approach in friction modeling of computer simulation in sheet-metal forming processes
T.-C. Hsu (Neih-Li, Taiwan, ROC) 95

Rotary heading using a rotary-forging machine with a side roller
K. Kawai, M. Hayama and H.-X. Su (Hodogaya-ku, Japan) 115

The benefits of coating the tools with titanium nitride in the deep drawing of mild steel cups
K.H.W. Seah and K.S. Lee (Singapore) 125

Stress analysis of a ballised hole
J.T. Oh, M.O. Lai and A.Y.C. Nee (Singapore) 137

The properties of a repeatedly ballised hole surface
M.O. Lai and A.Y.C. Nee (Singapore) 149

Improved flatness in cold rolling of copper foils
U. Ståhlberg and H. Keife (Stockholm, Sweden) 157

Analysis of plastic deformation for sheet metals with circular perforations
F.-K. Chen (Taipei, Taiwan, ROC) 175

Extrusion through two die openings: A 2D upper-bound analysis checked by plasticine experiments
H. Keife (Stockholm, Sweden) 189

Forming limits in biaxial stretching of aluminium sheets and foils
R. Mahmudi (Tehran, Iran) 203

Elsevier Science Publishers B.V.

Optimal angle of attack in tube spinning
Z.E. Ma (Xian, China) 217
An analysis of the hemispherical-punch hydroforming processes
S.-w. Lo (Evanston, IL, USA), T.-C. Hsu (Neih-Li, Taiwan, ROC) and W.R.D. Wilson (Evanston, IL, USA) 225
Ball burnishing of 316L stainless steel
S.S.G. Lee, S.C. Tam and N.H. Loh (Singapore) 241
Cold forging of MMCs of aluminium alloy matrix
H.W. Wagener and J. Wolf (Germany) 253
Drawing of cylindrical and hemispherical cups using an improved tooling for friction-actuated blank holding
S. Thiruvarudchelvan and N.H. Loh (Singapore) 267

2. Powder forming and composites
A thermal analysis of cold upsetting with the upper-bound flow function elemental technique
Y.T. Lin and J.P. Wang (Taiwan, ROC) 283
A review of ring-compression testing and applicability of the calibration curves
K.P. Rao (Kowloon, Hong Kong) and K. Sivaram (Hyderabad, India) 295
Measurement of friction and the flow stress of steels at room and elevated temperatures by ring-compression tests
Y.-J. Hwu, C.-T. Hsu (Kaohsiung, Taiwan, ROC) and F. Wang (Singapore) 319
Effect of the pre-gained volume strain ratio on the strain-path configuration of AISI 1045 steel in upsetting
A.H. Shabaik (Los Angeles, CA, USA), M. Abdel-Rahman, F.F.A. Elaziz (Egypt) and M.A. Chaaban (El-Ain, United Arab Emirates) 337
Mechanical behaviour of polypropylene pipes after the multiple-pass flow-forming process
K.S. Lee and S.Y. Chan (Singapore) 349
Pressure distribution in resin transfer molding with a non-rigid fiber preform
H. Gong (Singapore) 363
A study of the surface texture of composite drilled holes
C.W. Wern, M. Ramulu and K. Colligan (Seattle, WA, USA) 373
Discontinuous reinforcements in extruded aluminium–lithium matrix composites
M.J. Tan, L.H. Koh, K.A. Khor, F.Y.C. Boey, Y. Murakoshi and T. Sano (Japan) 391
On-line cure monitoring and viscosity measurement of carbon fiber epoxy composite materials
J.-S. Kim and D.G. Lee (Kusung-dong, South Korea) 405
Rapidly solidified Al-alloy powders produced by the plasma melt and rapid solidification (PMRS) method
K.A. Khor, H.N. Cheang, M.J. Tan, M.H. Liang (Singapore), T. Sano and Y. Murakoshi (Tsukuba Japan) 417
Granulation of Al-alloy composite powders for cold isostatic pressing
K.A. Khor, F.Y.C. Boey (Singapore) and T. Sano (Tsukuba, Japan) 431
Fabrication of Al–4.5Cu/15SiC$_p$ composites: I. Processing using mechanical alloying
Y.B. Liu, J.K.M. Kwok, S.C. Lim, L. Lu and M.O. Lai (Singapore) 441
Fabrication of an Al–4.5Cu/15SiC composite: II. Effects of the processing parameters on the fracture properties
L. Lu, J.K.M. Kwok, M.O. Lai, Y.B. Liu and S.C. Lim (Singapore) 453
Rotational microwave moulding of expandable polystyrene
H.Y. Yeong and S.W. Lye (Singapore) 463
Microsegregation in a fibre reinforced Al alloy metal-matrix composite (MMC)
Q.F. Li (Singapore) and D.G. McCartney (Liverpool, United Kingdom) 475

Modelling the densification of porous structures in CVI ceramic composites processing
G.Q. Lu (Singapore) 487
An experimental study on densification of sintered iron P/M cylindrical billets in forward extrusion
S.-G. Oh (Changwon, South Korea) and Y.-T. Im (Taejon, South Korea) 499
Metal-matrix composites: Manufacturing aspects. Part I
D. Huda, M.A.E. Baradie and M.S.J. Hashmi (Dublin, Ireland) 513
Metal-matrix composites: Materials aspects. Part II
D. Huda, M.A.E. Baradie and M.S.J. Hashmi (Dublin, Ireland) 529
Compaction of agglomerated zinc oxide powder
A. Al-Tounsi (Damascus, Syria), R. Puyane (Dundalk, Ireland) and M.S.J. Hashmi (Dublin, Ireland) 543
Effect of sintering temperature on the densification, shrinkage and compressive strength of stainless steel 300 series
A. Al-Tounsi (Damascus, Syria) and M.S.J. Hashmi (Dublin, Ireland) 551
Interfacial monitoring during the processing of carbon-fiber/PMR-15 polyimide composites
Y.D. Huang, Z.Q. Zhang, Z. Tong, Y.Z. Wei and L.X. Liu (Harbin, China) 559
Recent developments in ceramic-materials processing and applications
S. Gowri, K. Narayanasamy and R. Krishnamurthy (Madras, India) 571
Mechanical properties of a TiAl6V4 alloy processed by powder metallurgy
G. Abouelmagd (Minia, Egypt), H.P. Büchkremer (Jülich, Germany), E. El-Magd (Aachen, Germany) and D. Stöver (Jülich, Germany) 583

3. Material removal/joining processes, and thermomechanical treatment
An analysis of curvilinear regression equations for modeling the submerged-arc welding process
L.J. Yang, M.J. Bibby (Singapore) and R.S. Chandel (Ottawa, Canada) 601
The role of tool–chip contact length in metal cutting
M.I. Sadik and B. Lindström (Stockholm, Sweden) 613
A study of the consistency of tool wear characteristics and the criteria for the onset of tool failure
S.C. Teo, K.S. Lee and L.C. Lee (Singapore) 629
High quality machining of ceramics
C. Tsutsumi, K. Okano and T. Suto (Ibaraki, Japan) 639
Influence of the substrate material on the effectiveness of coatings in metal cutting
T.N. Goh, M. Rahman, K.H.W. Seah and C.H. Lee (Singapore) 655
Integrity of surfaces produced by electrochemical machining
H.M. Osman and M. Abdel-Rahman (Minia, Egypt) 667
Grinding of non-ferrous metals using loose abrasive grains
O.I. Ahmed, F.F. Abdel-Aziz and M. Abdel-Rahman (Assuit University, Egypt) . . 679
On the determination of current efficiency in electrochemical machining with a variable gap
M.A. Béjar and F. Gutiérrez (Santiago, Chile) 691
Design of an adaptive control constraint system for end-milling operations
Y.S. Tarng and S.T. Cheng (Taipei, Taiwan) 701
Shear bond strength of nickel/alumina interfaces, diffusion bonded by HIP
N.L. Loh, Y.L. Wu and K.A. Khor (Singapore) 711
Effect of heat input on the metallurgical properties of HSLA steel in multi-pass MIG welding
V.S.R. Murti (Hyderabad, India), P.D. Srinivas (Secunderabad, India), G.H.D. Banadeki and K.S. Raju (Hyderabad, India) 723

Tool wear monitoring in turning using a pattern recognition technique
H.V. Ravindra, Y.G. Srinivasa and R. Krishnamurthy (Madras, India) 731
Optimization of laser deep-hole drilling of Inconel 718 using the Taguchi method
S.C. Tam, C.Y. Yeo, S. Jana, M.W.S. Lau, L.E.N. Lim, L.J. Yang and Y.M. Noor (Singapore) 741
Some studies on the service weldability of HSLA steels using 18Cr, 8Ni, 6Mn type austenitic electrodes
V.S.R. Murti (Hyderabad, India), Y.R. Sastry (Secunderabad, India), V.G.N. Rao (Warangal, India) and G.M. Reddy (Hyderabad, India) 759
Effect of submerged arc process variables on dilution and bead geometry in single wire surfacing
N. Murugan (New Delhi, India), R.S. Parmar (UK) and S.K. Sud (New Delhi, India) 767
Microscopic study on chips formed by sharp and bevelled turning carbide inserts
S.S. Babu, A.K. Chakraborty and A.B. Chattopadhyay (Kharagpur, India) 781
Effects of cryo-cooling in grinding steels
S. Paul, P.P. Bandyopadhyay and A.B. Chattopadhyay (Kharagpur, India) 791
Design of tool holders for ultrasonic machining using FEM
K.H.W. Seah, Y.S. Wong and L.C. Lee (Singapore) 801

Author Index Parts A and B 817
Contents Parts A and B 819

Vol. 38, Nos. 1–2, February 1993

Special Issue: 1st Asia-Pacific Conference on Materials Processing, Singapore, February 23–25, 1993 (Part B)

HIP processing of Ti–Al intermetallic using blended elemental powders
Pearl Lee-Sullivan (Singapore) 1
Mixed conduction in β-alumina type materials: A critical review
W. Zhu (Singapore) and S.A. Akbar (Columbus, OH, USA) 15
A finite-element analysis of the electromagnetic tube-compression process
D.-K. Min and D.-W. Kim (Seoul, South Korea) 29
A procedure for characterising the fountain effect in the filling of a complex mold
H. Gong (Singapore) 41
Eulerian finite-element modeling of the extrusion process for work-hardening materials with the extended concept of limit analysis
H. Huh and C.-H. Lee (Taejon, South Korea) 51
Splitting characteristics of polyethylene films
A.C-Y Wong (Hong Kong) 63
On the manufacturing tolerance of disk cam profile
W.H. Wang, C.H. Tseng, C.B. Tsay (Hsinchu, Taiwan, ROC) and S.F. Ling (Singapore) 71
Three-dimensional simulation of the edge rolling process by the explicit finite-element method
W.K. Chung (Clayton, Vic, Australia), S.K. Choi (Syndal, Vic, Australia) and P.F. Thomson (Clayton, Vic, Australia) 85
Analysis of hot forward–backward extrusion by the visco-plastic finite-element method
Y.-M. Guo, Y. Yokouchi and H. Suzuki (Tokyo, Japan) 103
A finite-element simulation of non-steady-state metal forming processes
F. Diko and M.S.J. Hashmi (Dublin, Ireland) 115
High temperature thermo-mechanical treatment of 12-0-2+C type high-speed steel
L.A. Dobrzański (Gliwice, Poland) 123

Computer aided system for selection of the high-speed steels and heat treatment technology synthesis of the tools
L.A. Dobrzański and J. Madejski (Gliwice, Poland) 135
An elasto-plastic finite-element analysis of the axisymmetric sheet stretching process
Y.-M. Huang and J.-W. Chen (Taipei, Taiwan, ROC) 145
Curvature catering – A new approach in manufacture of sculptured surfaces (part 1. theorem)
X.C. Wang, S.K. Ghosh, Y.B. Li (Stafford, UK) and X.T. Wu (Xian, China) 159
Curvature catering – A new approach in manufacture of sculptured surfaces (part 2. methodology)
X.C. Wang, S.K. Ghosh, Y.B. Li (Stafford, UK) and X.T. Wu (Xian, China) 177
Whole field measurement of surface roughness using laser speckle
C.J. Tay, S.L. Toh, H.M. Shang and J.B. Zhang (Singapore) 195
Use of computer simulation to predict appropriate current profiles in the resistance welding of bar stock
R. Pan and D.F. Watt (Windsor, Canada) 203
Further observations on the Jominy end quench test
H.S. Fong (Singapore) 221
A dynamic modelling approach to computer aided optimum selection of grinding parameters
C.B. Zhu (Beijing, China), P.S. Midha and G.J. Trmal (Bristol, UK) 227
Resistance to wear of nitriding on titanium alloy using the laser-irradiation technique
P.A. Coulon (Belfort, France) 247
Warm open-die extrusion of Ti–6Al–4V
K. Srinivasan and P. Venugopal (Madras, India) 265
Recent trend and features of press stamping
M. Iwamatsu (Sagamihara, Japan) 279
The analysis of mould fitting in castings using the finite element method
A.S. Usmani, J.T. Cross and R.W. Lewis (Swansea, UK) 291
Factors influencing the production of high integrity aluminium/silicon alloy components by die and squeeze casting processes
M.R. Ghomashchi and K.N. Strafford (Levels, Australia) 303
Hot forming of a polyphenylene sulphide composite
F. Boey, A.C. Lua and C.Y. Yue (Singapore) 327
CIP extruded aluminium–lithium alloy composite: Interfacial compatibility and mechanical properties
F. Boey, H.F. Lee, K.A. Khor (Singapore) and T. Sano (Tsukuba, Japan) 337
Al–Li alloy composites using a dynamic shock compaction technique
Y. Murakoshi (Tsukuba, Japan), F. Boey (Singapore) and T. Sano (Tsukuba, Japan) 351
Processing of ceramic matrix SiC–Al composites
K. Janghorban (Shiraz, Iran) 361
The manufacture of roofing panels from sisal fibre reinforced composites
E.T.N. Bisanda (Dar es Salaam, Tanzania) 369
Fabrication and evaluation of the mechanical properties of aluminium alloy – Glass particulate composites
S.C. Sharma and S.R. Arun (Bangalore, India) 381
Effects of post-weld heat-treatment soaking temperature on the mechanical properties and residual stresses of a martensite stainless-steel welded component
A.G. Olabi and M.S.J. Hashmi (Dublin, Ireland) 387
The use of statistical modelling in welding
S.C.A. Alfaro, P.J. Modenesi and A. Scotti (Brazil) 399

Effect of spindle speed on clamping force in turning
M. Rahman (Singapore) and M. Tsutsumi (Tokyo, Japan) 407
Thermal modeling and on-line monitoring of wire-EDM
K.P. Rajurkar and W.M. Wang (Lincoln, NE, USA) 417
Properties and characteristics of advanced tribological surface coatings and the assessment of quality-for-performance for enhanced manufacturing efficiency
K.N. Strafford, C. Subramanian and T.P. Wilks (Levels, Australia) 431
Computer simulation of heat flow in pulsed current arc welding
Yiu Wing Chan (Singapore) 449
The sinterability and electrical conductivity of some $TiSi_2$/glass systems
P. Hing and A. Adotey (Singapore) 465
Mechanical and metallurgical properties of P/M porous materials
M.M. Moshksar (Shiraz, Iran) 483